

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	7	S1 and (ddos or dos)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 16:39
S4	27	("5032979" "5101402" "5278901" "5414833" "5448724" "5488715" "5524238" "5555377" "5557742" "5606668" "5621889" "5634008" "5699513" "5751964" "5793763" "5796942" "5798706" "5805801" "5826014" "5886643" "5919257" "5931946" "5991881" "6088804" "6108310" "6128642" "6279113").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/02/14 16:52
S1	48	(monitor\$3 or screen\$3 or profil\$3) near5 (packet) same (heuristic or hierarch\$4) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 16:59
S6	10	(monitor\$3 or screen\$3 or profil\$3) near5 (packet) same (source or address) same history and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:01
S7	8	S5 and (ddos or dos or (denial adj service))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:01
S5	75	(monitor\$3 or screen\$3 or profil\$3) near5 (packet) same (source or address) same activity and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:08
S8	82	(monitor\$3 or screen\$3 or profil\$3) near5 (packet) same (source or address) with value and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:09

S12	3	(monitor\$3 or screen\$3 or profil\$3) near5 (packet) same (source or address) same (rule adj based) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:10
S10	2	(monitor\$3 or screen\$3 or profil\$3) near5 (packet) same (source or address) same (rule adj base) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:10
S9	0	(monitor\$3 or screen\$3 or profil\$3) near5 (packet) same (source or address) with value same (rule adj base) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:10
S13	92	("5781550").URPN.	USPAT	OR	ON	2005/02/14 17:12
S14	444	(monitor\$3 or screen\$3 or profil\$3 or filter\$3) near5 (packet) same (source or address) with (based) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:13
S11	2	(monitor\$3 or screen\$3 or profil\$3) near5 (packet) same (source or address) with value same (rule adj based) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:13
S16	3624	(709/224).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 17:14
S17	1689	(709/225).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 17:14
S19	7984	S16 or S17 or S18	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:15
S18	3317	(713/201).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/14 17:15

S20	104	S19 and S15	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:15
S15	656	(screen\$3 or filter\$3 or drop\$4 or pass\$3) near5 (packet) same (source or address) with (based) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:48
S22	18	S21 and S19	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/14 17:49
S21	145	(screen\$3 or filter\$3 or drop\$4 or pass\$3) near5 (packet) same (source or address) near4 value and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 10:18
S23	1	(screen\$3 or filter\$3 or drop\$4 or pass\$3) near5 (packet) same (source or address) same (previous or prior or past) adj (history or activity) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 10:19
S25	118	(screen\$3 or filter\$3 or drop\$4 or pass\$3) near5 (packet) same (source or address) and (value or score) same (previous\$2 or prior or past) with received with packets and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 10:22
S24	0	(screen\$3 or filter\$3 or drop\$4 or pass\$3) near5 (packet) same (source or address) and (value or score) near5 (previous or prior or past) adj (history or activity) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 10:22
S32	8005	S29 or S30 or S31	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 10:43
S29	3637	(709/224).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/15 10:43

S31	3324	(713/201).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/15 10:43
S28	2467	S27 and (ddos or dos or (denial adj service))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 10:43
S30	1692	(709/225).CCLS.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/15 10:43
S3	7	S1 and (ddos or dos or (denial adj service))	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 10:43
S27	106300	(source or address) near5 (value or score) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 12:39
S33	57	S28 and S32	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 12:40
S35	13	S34 and S32	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 12:40
S26	57	(screen\$3 or filter\$3 or drop\$4 or pass\$3) near5 (packet) same (source or address) and (value or score) same (previous\$2 or prior or past) near5 received with packets and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 12:42
S36	26106	(screen\$3 or filter\$3 or drop\$4 or pass\$3 or monitor\$3) near5 (packet)	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 12:43

S37	81	S34 and S36	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 12:43
S38	8	S37 and firewall	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 12:49
S40	5	S32 and S39	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 12:50
S39	44	dynamic near5 (screen\$3 or filter\$3) near2 address	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 12:52
S41	32	dynamic near5 (screen\$3 or filter\$3) near2 address and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 12:53
S34	279	((source or orgin) near2 address) same determin\$3 near4 (value or score) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 13:54
S42	11	((source or orgin) near2 address) same determin\$3 near4 (history or profile) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 13:55
S43	40	((source or orgin) near2 address) near4 (history or profile) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 14:05
S44	29	((source or orgin) near2 address) near4 (history or profile) and ((ip adj header) or packet) and @ad<"20010816"	US-PGPUB ; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/02/15 14:06

S45	63	("4922486" "5136580" "5241594" "5274631" "5280480" "5423002" "5430715" "5555244" "5570361" "5583862" "5592470" "5594732" "5617417" "5655077" "5659542" "5671354" "5673265" "5684950" "5699521" "5737526" "5740171" "5740176" "5787253" "5793763" "5799017" "5802047" "5802316" "5805595" "5815665" "5835727" "5838683" "5854901" "5867495" "5883893" "5933625" "5944824" "5959990" "5991810" "5991828" "6009103" "6011909" "6011910" "6018770" "6021496" "6026086" "6026441" "6028848" "6029203" "6047325" "6047376" "6055236" "6065049" "6065064" "6091951" "6092196" "6098106" "6119160" "6141687" "6157636" "6160808" "6226678" "6269099" "6317594").PN.	US-PGPUB ; USPAT; USOCR	OR	ON	2005/02/15 14:45
S46	6	(("6,321,338") or ("6,327,242") or ("6,691,232")).PN.	US-PGPUB ; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/02/15 14:45
S47	14	("6321338").URPN.	USPAT	OR	ON	2005/02/15 14:56